



## SNR Bearing Argentina



6212ZZNR Bearing 2D drawings and 3D CAD models

60,000 mm x 110,000 mm x 22,000 mm NTN  
6212ZZNR deep groove ball bearings

Bearing No. 6212ZZNR

Size	60x110x22 mm
Bore Diameter	60,000 mm
Outer Diameter	110,000 mm
Width	22,000 mm
d	60,000 mm
D	110,000 mm
B	22,000 mm
C	22,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.793
EAN	4547359568608
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	60MM Bore; 110MM



## SNR Bearing Argentina

	Outside Diameter; 22MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Other Features	Deep Groove   With Snap Ring
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	6212ZZNR
Weight / LBS	1.73062
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	4.331 Inch   110 Millimeter
Outer Race Width	0.866 Inch   22 Millimeter
Bore	2.362 Inch   60 Millimeter
bore diameter:	60 mm
static load capacity:	36000 N
outside diameter:	110 mm
precision rating:	ISO Class 0
overall width:	22 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Shielded
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	22 mm



## SNR Bearing Argentina

snap ring included:	With Snap Ring
outer ring width:	22 mm
internal clearance:	CN
maximum rpm (grease):	6000 rpm
operating temperature range:	-40 to 120 ° C
fillet radius:	1.5 mm
dynamic load capacity:	52500 N
manufacturer product page:	<a href="#">Click here</a>